



भारत सरकार  
कर्मचारी चयन आयोग(प0क्षे0)  
पहली मंजिल, दक्षिणी खण्ड,  
प्रतिष्ठा भवन,  
(पुराना सी जी ओ बिल्डिंग)  
101, महर्षी कर्वे रोड,  
मुंबई 400 020

Government of India  
STAFF SELECTION COMMISSION (WR)  
1<sup>st</sup> floor, South Wing, Pratishtha Bhavan  
(Old CGO Building), 101, M.K. Road,  
Mumbai 400 020.  
22019118/22018866/22018527

No. SEL-18/(INT)/SSC (WR)/2017

Date : 16/06/2017

CORRIGENDUM

F.No.SEL-18/INT/SSC (WR)/2017: Candidates may refer to the Recruitment Notice of Selection Post Advertisement No.WR/01/2017, Category No.17. In the said Recruitment Notice the following amendments is made:-

Para No	For	Read
I	Kolkatta, Nagpur & Mumbai	Central Agmark Laboratory, Nagpur & Regional Agmark Laboratory, Mumbai

क्षेत्रीय निदेशक (प.क्षे)



भारत सरकार  
कर्मचारी चयन आयोग(प0क्षे0)  
पहली मंजिल, दक्षिणी खण्ड,  
प्रतिष्ठा भवन,  
(पुराना सी जी ओ बिल्डिंग)  
101, महर्षी कर्वे रोड,  
मुंबई 400 020

Government of India  
STAFF SELECTION COMMISSION (WR)  
1<sup>st</sup> floor, South Wing, Pratishtha Bhavan  
(Old CGO Building), 101, M.K. Road,  
Mumbai 400 020.  
22019118/22018866/22018527

No. SEL-14/(INT)/SSC (WR)/2017

Date : 16/06/2017

CORRIGENDUM

F.No.SEL-14/INT/SSC(WR)/2017: Candidates may refer to the Recruitment Notice of Selection Post Advertisement No.WR/01/2017, Category No.13. In the said Recruitment Notice the following amendments is made:-

Para No	For	Read
B	Group – B (NG) Non-Ministerial	Group – C (NG) Non-Ministerial

क्षेत्रीय निदेशक (प.क्षे)